ELSEVIER

Journal of the Autonomic Nervous System 67 (1997) 221–222

Journal of the
Autonomic
Nervous
System

Author Index

Abe, T., see Funakoshi, K. (67) 125
Akkermans, L.M.A., see Schutte, I.W.M. (67) 51
Andersson, K.-E., see Pandita, R.K. (67) 184
Anthony, T.L., see Zheng, Z. (67) 137
Appenzeller, O., see Hoyle, C.H.V. (67) 105
Avelino, A., Cruz, F. and Coimbra, A.
Sites of renal pain processing in the rat spinal cord. A c-*fos* study using a percutaneous method to perform ureteral obstruction (67) 60

Battaglia, A., see Vacca, G. (67) 97
Binah, O., see Doweck, I. (67) 31
Bolter, C.P., see Buller, K.M. (67) 24
Brimijoin, S., see Miller, S.M. (67) 156
Brouwer, R.M.H.J., see Tio, R.A. (67) 176
Buerk, D.G., Chugh, D.K., Osanai, S., Mokashi, A. and Lahiri, S.
Dopamine increases in cat carotid body during excitation by carbon monoxide: Implications for a chromophore theory of chemoreception (67) 130
Buller, K.M. and Bolter, C.P.
Carotid bifurcation pressure modulation of spontaneous activity in external and internal carotid nerves can occur in the superior cervical ganglion (67) 24
Burnstock, G., see Hoyle, C.H.V. (67) 105

Camilleri, M., see Fujimura, J. (67) 15
Chai, C.Y., see Wu, W.C. (67) 145
Chen, H., see Kurennyi, D.E. (67) 89
Chen, J., Gomez-Nino, A., Gonzalez, C., Dinger, B. and Fidone, S.
Stimulus-specific mobilization of dopamine and norepinephrine stores in cat carotid body (67) 109
Cheng, Z., Powley, T.L., Schwaber, J.S. and Doyle, III, F.J.
A laser confocal microscopic study of vagal afferent innervation of rat aortic arch: Chemoreceptors as well as baroreceptors (67) 1
Chugh, D.K., see Buerk, D.G. (67) 130
Coimbra, A., see Avelino, A. (67) 60
Crijns, H.J.G.M., see Tio, R.A. (67) 176
Cruz, F., see Avelino, A. (67) 60

Dinger, B., see Chen, J. (67) 109
Doweck, I., Gordon, C.R., Shlitner, A., Spitzer, O., Gonen, A., Binah, O., Melamed, Y. and Shupak, A.
Alterations in R–R variability associated with experimental motion sickness (67) 31
Doyle, III, F.J., see Cheng, Z. (67) 1
Dreshaj, I.A., see Haxhiu, M.A. (67) 192

Ermilov, L.G., see Miller, S.M. (67) 156
Erokwu, B., see Haxhiu, M.A. (67) 192

Fidone, S., see Chen, J. (67) 109
Fujimura, J., Camilleri, M., Low, P.A., Novak, V., Novak, P. and Opfer-Gehrking, T.L.
Effect of perturbations and a meal on superior mesenteric artery flow in patients with orthostatic hypotension (67) 15
Funakoshi, K., Abe, T., Rahman, Md.S. and Kishida, R.
Spinal and vagal projections to the sympathetic trunk of the wrasse, *Halichoeres poecilopterus* (67) 125

Gomez-Nino, A., see Chen, J. (67) 109
Gonen, A., see Doweck, I. (67) 31
Gonzalez, C., see Chen, J. (67) 109
Gordon, C.R., see Doweck, I. (67) 31
Grossini, E., see Vacca, G. (67) 97

Haaksma, J., see Tio, R.A. (67) 176
Hammond, P.I., see Miller, S.M. (67) 156
Haxhiu, M.A., Erokwu, B. and Dreshaj, I.A.
The role of excitatory amino acids in airway reflex responses in anesthetized dogs (67) 192
Hori, T., see Katafuchi, T. (67) 200
Hoyle, C.H.V., Thomas, P.K., Burnstock, G. and Appenzeller, O.
Immunohistochemical localisation of neuropeptides and nitric oxide synthase in sural nerves from Egyptian mummies (67) 105
Huang, H.-T., see Lo, Y.-K. (67) 79

Ichijo, T., see Katafuchi, T. (67) 200

Katafuchi, T., Ichijo, T. and Hori, T.
Sequential relationship between actions of CRF and PGE_2 in the brain on splenic sympathetic nerve activity in rats (67) 200
Kishida, R., see Funakoshi, K. (67) 125

Krantis, A., see Peaire, A.E. (67) 168
Kreulen, D.L., see Zheng, Z. (67) 137
Kroese, A.B.A., see Schutte, I.W.M. (67) 51
Kuo, J.S., see Wu, W.C. (67) 145
Kurennyi, D.E., Chen, H. and Smith, P.A.
Low concentrations of muscarine potentiate M-current in bullfrog sympathetic B-neurones (67) 89

Lahiri, S., see Buerk, D.G. (67) 130
Lo, Y.-K. and Huang, H.-T.
A novel procedure for mediastinal vagotomy inhibits neurogenic inflammation in rat bronchial tree (67) 79
Low, P.A., see Fujimura, J. (67) 15

Mary, D.A.S.G., see Vacca, G. (67) 97
Melamed, Y., see Doweck, I. (67) 31
Miller, S.M., Ermilov, L.G., Szurszewski, J.H., Hammond, P.I. and Brimijoin, S.
Selective disruption of neurotransmission by acetylcholinesterase antibodies in sympathetic ganglia examined with intracellular microelectrodes (67) 156
Mokashi, A., see Buerk, D.G. (67) 130
Molinari, C., see Vacca, G. (67) 97

Novak, P., see Fujimura, J. (67) 15
Novak, V., see Fujimura, J. (67) 15

Ootsuka, Y. and Terui, N.
Functionally different neurons are organized topographically in the rostral ventrolateral medulla of rabbits (67) 67
Opfer-Gehrking, T.L., see Fujimura, J. (67) 15
Osanai, S., see Buerk, D.G. (67) 130

Pandita, R.K., Persson, K. and Andersson, K.-E.
Capsaicin-induced bladder overactivity and nociceptive behaviour in conscious rats: Involvement of spinal nitric oxide (67) 184
Peaire, A.E., Krantis, A. and Staines, W.A.
Distribution of the NPY receptor subtype Y1 within human colon: Evidence for NPY targeting a subpopulation of nitrergic neurons (67) 168
Persson, K., see Pandita, R.K. (67) 184
Powley, T.L., see Cheng, Z. (67) 1
Prud'homme, M.-J., see Serghini, R. (67) 38

Rahman, Md.S., see Funakoshi, K. (67) 125
Reyners, A.K.L., see Tio, R.A. (67) 176
Rousseau, J.-P., see Serghini, R. (67) 38

Santer, R.M., see Soltanpour, N. (67) 114
Schutte, I.W.M., Akkermans, L.M.A. and Kroese, A.B.A.
CCK_A and CCK_B receptor subtypes both mediate the effects of CCK-8 on myenteric neurons in the guinea-pig ileum (67) 51
Schwaber, J.S., see Cheng, Z. (67) 1
Serghini, R., Prud'homme, M.-J., Vaudry, H. and Rousseau, J.-P.
Involvement of the pelvic plexus and the suprarenal ganglia in the neuropeptide Y (NPY) innervation of the cervix and the uterus of the rat (67) 38
Shimamura, K., see Zheng, Z. (67) 137
Shlitner, A., see Doweck, I. (67) 31
Shupak, A., see Doweck, I. (67) 31
Smit, A.J., see Tio, R.A. (67) 176
Smith, P.A., see Kurennyi, D.E. (67) 89
Soltanpour, N. and Santer, R.M.
Vagal nuclei in the medulla oblongata: structure and activity are maintained in aged rats (67) 114
Spitzer, O., see Doweck, I. (67) 31
Staines, W.A., see Peaire, A.E. (67) 168
Szurszewski, J.H., see Miller, S.M. (67) 156

Terui, N., see Ootsuka, Y. (67) 67
Thomas, P.K., see Hoyle, C.H.V. (67) 105
Tio, R.A., Reyners, A.K.L., Van Veldhuisen, D.J., Van den Berg, M.P., Brouwer, R.M.H.J., Haaksma, J., Smit, A.J. and Crijns, H.J.G.M.
Evidence for differential sympathetic and parasympathetic reinnervation after heart transplantation in humans (67) 176
Travagli, R.A., see Zheng, Z. (67) 137
Trevi, G.P., see Vacca, G. (67) 97

Vacca, G., Battaglia, A., Grossini, E., Mary, D.A.S.G., Molinari, C. and Trevi, G.P.
The effects of combined distension of the stomach and the descending colon on coronary blood flow in anaesthetized pigs (67) 97
Van den Berg, M.P., see Tio, R.A. (67) 176
Van Veldhuisen, D.J., see Tio, R.A. (67) 176
Vaudry, H., see Serghini, R. (67) 38

Wang, Y., see Wu, W.C. (67) 145
Wong, C.-W.
The second thoracic sympathetic ganglion determines palm skin temperature in patients with essential palmar hyperhidrosis (67) 121
Wu, W.C., Kuo, J.S., Wang, Y. and Chai, C.Y.
Glycine increases arterial pressure and augments NMDA-induced pressor responses in the dorsomedial and ventrolateral medulla of cats (67) 145

Zheng, Z., Shimamura, K., Anthony, T.L., Travagli, R.A. and Kreulen, D.L.
Nitric oxide is a sensory nerve neurotransmitter in the mesenteric artery of guinea pig (67) 137